



KENEX PART NUMBER	NUMBER CORES X CROSS SECTION MM ²	ENDING L1/L2 IN MM	BLOCK LENGTH IN MM	EXPANDED LENGTH MAX. IN METER	SPIRAL OUTER Ø APPROX. MM	CABLE OUTER Ø APPROX. MM
003W02075	KENPUR 300 WL 2 x 0,75	200/200	300	0,90	21-26	5,4
003W02075A	KENPUR 300 WL 2 x 0,75	200/200	500	1,50	21-26	5,4
003W02075B	KENPUR 300 WL 2 x 0,75	200/200	1000	3,00	21-26	5,4
003W02075C	KENPUR 300 WL 2 x 0,75	200/200	1500	4,50	21-26	5,4
003W02075D	KENPUR 300 WL 2 x 0,75	200/200	2000	6,00	21-26	5,4
003W02075E	KENPUR 300 WL 2 x 0,75	200/200	3000	10,50	21-26	5,4
003W03075	KENPUR 300 WL 3 G 0,75	200/200	300	0,90	22-27	5,7
003W03075A	KENPUR 300 WL 3 G 0,75	200/200	500	1,50	22-27	5,7
003W03075B	KENPUR 300 WL 3 G 0,75	200/200	1000	3,00	22-27	5,7
003W03075C	KENPUR 300 WL 3 G 0,75	200/200	1500	4,50	22-27	5,7
003W03075D	KENPUR 300 WL 3 G 0,75	200/200	2000	6,00	22-27	5,7
003W03075E	KENPUR 300 WL 3 G 0,75	200/200	3000	10,50	22-27	5,7
003W04075	KENPUR 300 WL 4 G 0,75	200/200	300	0,90	26-31	6,2
003W04075A	KENPUR 300 WL 4 G 0,75	200/200	500	1,50	26-31	6,2
003W04075B	KENPUR 300 WL 4 G 0,75	200/200	1000	3,00	26-31	6,2
003W04075C	KENPUR 300 WL 4 G 0,75	200/200	1500	4,50	26-31	6,2
003W04075D	KENPUR 300 WL 4 G 0,75	200/200	2000	6,00	26-31	6,2
003W04075E	KENPUR 300 WL 4 G 0,75	200/200	3000	10,50	26-31	6,2
003W05075	KENPUR 300 WL 5 G 0,75	200/200	300	0,90	27-32	6,7
003W05075A	KENPUR 300 WL 5 G 0,75	200/200	500	1,50	27-32	6,7
003W05075B	KENPUR 300 WL 5 G 0,75	200/200	1000	3,00	27-32	6,7
003W05075C	KENPUR 300 WL 5 G 0,75	200/200	1500	4,50	27-32	6,7
003W05075D	KENPUR 300 WL 5 G 0,75	200/200	2000	6,00	27-32	6,7
003W05075E	KENPUR 300 WL 5 G 0,75	200/200	3000	10,50	27-32	6,7
003W07075	KENPUR 300 WL 7 G 0,75	200/200	300	0,90	29-34	7,3
003W07075A	KENPUR 300 WL 7 G 0,75	200/200	500	1,50	29-34	7,3
003W07075B	KENPUR 300 WL 7 G 0,75	200/200	1000	3,00	29-34	7,3
003W07075C	KENPUR 300 WL 7 G 0,75	200/200	1500	4,50	29-34	7,3
003W07075D	KENPUR 300 WL 7 G 0,75	200/200	2000	6,00	29-34	7,3
003W07075E	KENPUR 300 WL 7 G 0,75	200/200	3000	10,50	29-34	7,3
003W12075	KENPUR 300 WL 12 G 0,75	200/200	500	1,50	33-37	9,9
003W12075A	KENPUR 300 WL 12 G 0,75	200/200	1000	3,00	33-37	9,9
003W18075	KENPUR 300 WL 18 G 0,75	200/200	500	1,50	38-42	11,7
003W18075A	KENPUR 300 WL 18 G 0,75	200/200	1000	3,00	38-42	11,7

KENEX PART NUMBER	NUMBER CORES X CROSS SECTION MM ²	ENDING L1/L2 IN MM	BLOCK LENGTH IN MM	EXPANDED LENGTH MAX. IN METER	SPIRAL OUTER Ø APPROX. MM	CABLE OUTER Ø APPROX. MM
003W02100	KENPUR 300 WL 2 x 1,00	200/200	300	0,90	22-27	5,7
003W02100A	KENPUR 300 WL 2 x 1,00	200/200	500	1,50	22-27	5,7
003W02100B	KENPUR 300 WL 2 x 1,00	200/200	1000	3,00	22-27	5,7
003W02100C	KENPUR 300 WL 2 x 1,00	200/200	1500	4,50	22-27	5,7
003W02100D	KENPUR 300 WL 2 x 1,00	200/200	2000	6,00	22-27	5,7
003W02100E	KENPUR 300 WL 2 x 1,00	200/200	3000	10,50	22-27	5,7
003W03100	KENPUR 300 WL 3 G 1,00	200/200	300	0,90	23-28	6,0
003W03100A	KENPUR 300 WL 3 G 1,00	200/200	500	1,50	23-28	6,0
003W03100B	KENPUR 300 WL 3 G 1,00	200/200	1000	3,00	23-28	6,0
003W03100C	KENPUR 300 WL 3 G 1,00	200/200	1500	4,50	23-28	6,0
003W03100D	KENPUR 300 WL 3 G 1,00	200/200	2000	6,00	23-28	6,0
003W03100E	KENPUR 300 WL 3 G 1,00	200/200	3000	10,50	23-28	6,0
003W04100	KENPUR 300 WL 4 G 1,00	200/200	300	0,90	26-31	6,5
003W04100A	KENPUR 300 WL 4 G 1,00	200/200	500	1,50	26-31	6,5
003W04100B	KENPUR 300 WL 4 G 1,00	200/200	1000	3,00	26-31	6,5
003W04100C	KENPUR 300 WL 4 G 1,00	200/200	1500	4,50	26-31	6,5
003W04100D	KENPUR 300 WL 4 G 1,00	200/200	2000	6,00	26-31	6,5
003W04100E	KENPUR 300 WL 4 G 1,00	200/200	3000	10,50	26-31	6,5
003W05100	KENPUR 300 WL 5 G 1,00	200/200	300	0,90	30-35	7,1
003W05100A	KENPUR 300 WL 5 G 1,00	200/200	500	1,50	30-35	7,1
003W05100B	KENPUR 300 WL 5 G 1,00	200/200	1000	3,00	30-35	7,1
003W05100C	KENPUR 300 WL 5 G 1,00	200/200	1500	4,50	30-35	7,1
003W05100D	KENPUR 300 WL 5 G 1,00	200/200	2000	6,00	30-35	7,1
003W05100E	KENPUR 300 WL 5 G 1,00	200/200	3000	10,50	30-35	7,1
003W07100	KENPUR 300 WL 7 G 1,00	200/200	300	0,90	30-36	8,0
003W07100A	KENPUR 300 WL 7 G 1,00	200/200	500	1,50	30-36	8,0
003W07100B	KENPUR 300 WL 7 G 1,00	200/200	1000	3,00	30-36	8,0
003W07100C	KENPUR 300 WL 7 G 1,00	200/200	1500	4,50	30-36	8,0
003W07100D	KENPUR 300 WL 7 G 1,00	200/200	2000	6,00	30-36	8,0
003W07100E	KENPUR 300 WL 7 G 1,00	200/200	3000	10,50	30-36	8,0
003W12100	KENPUR 300 WL 12 G 1,00	200/200	500	1,50	35-40	10,5
003W12100A	KENPUR 300 WL 12 G 1,00	200/200	1000	3,00	35-40	10,5
003W18100	KENPUR 300 WL 18 G 1,00	200/200	500	1,50	42-47	12,7
003W18100A	KENPUR 300 WL 18 G 1,00	200/200	1000	3,00	42-47	12,7

KENEX PART NUMBER	NUMBER CORES X CROSS SECTION MM ²	ENDING L1/L2 IN MM	BLOCK LENGTH IN MM	EXPANDED LENGTH MAX. IN METER	SPIRAL OUTER Ø APPROX. MM	CABLE OUTER Ø APPROX. MM
003W02150	KENPUR 300 WL 2 x 1,50	200/200	300	0,90	20-25	6,3
003W02150A	KENPUR 300 WL 2 x 1,50	200/200	500	1,50	20-25	6,3
003W02150B	KENPUR 300 WL 2 x 1,50	200/200	1000	3,00	20-25	6,3
003W02150C	KENPUR 300 WL 2 x 1,50	200/200	1500	4,50	20-25	6,3
003W02150D	KENPUR 300 WL 2 x 1,50	200/200	2000	6,00	20-25	6,3
003W02150E	KENPUR 300 WL 2 x 1,50	200/200	3000	10,50	20-25	6,3
003W03150	KENPUR 300 WL 3 G 1,50	200/200	300	0,90	22-27	6,7
003W03150A	KENPUR 300 WL 3 G 1,50	200/200	500	1,50	22-27	6,7
003W03150B	KENPUR 300 WL 3 G 1,50	200/200	1000	3,00	22-27	6,7
003W03150C	KENPUR 300 WL 3 G 1,50	200/200	1500	4,50	22-27	6,7
003W03150D	KENPUR 300 WL 3 G 1,50	200/200	2000	6,00	22-27	6,7
003W03150E	KENPUR 300 WL 3 G 1,50	200/200	3000	10,50	22-27	6,7
003W05150	KENPUR 300 WL 5 G 1,50	200/200	500	0,90	27-32	8,1
003W05150A	KENPUR 300 WL 5 G 1,50	200/200	500	1,50	27-32	8,1
003W05150B	KENPUR 300 WL 5 G 1,50	200/200	1000	3,00	27-32	8,1
003W05150C	KENPUR 300 WL 5 G 1,50	200/200	1500	4,50	27-32	8,1
003W05150D	KENPUR 300 WL 5 G 1,50	200/200	2000	6,00	27-32	8,1
003W05150E	KENPUR 300 WL 5 G 1,50	200/200	3000	10,50	27-32	8,1
003W07150	KENPUR 300 WL 7 G 1,50	200/200	500	0,90	28-33	8,9
003W07150A	KENPUR 300 WL 7 G 1,50	200/200	500	1,50	28-33	8,9
003W07150B	KENPUR 300 WL 7 G 1,50	200/200	1000	3,00	28-33	8,9
003W07150C	KENPUR 300 WL 7 G 1,50	200/200	1500	4,50	28-33	8,9
003W07150D	KENPUR 300 WL 7 G 1,50	200/200	2000	6,00	28-33	8,9
003W07150E	KENPUR 300 WL 7 G 1,50	200/200	3000	10,50	28-33	8,9
003W12150	KENPUR 300 WL 12 G 1,50	200/200	500	1,50	44-48	12,0
003W12150A	KENPUR 300 WL 12 G 1,50	200/200	1000	3,00	44-48	12,0
003W18150	KENPUR 300 WL 18 G 1,50	200/200	500	1,50	50-52	13,4
003W18150A	KENPUR 300 WL 18 G 1,50	200/200	1000	3,00	50-52	13,4
003W03250	KENPUR 300 WL 3 G 2,50	200/200	300	0,90	27-30	8,1
003W03250A	KENPUR 300 WL 3 G 2,50	200/200	500	1,50	27-30	8,1
003W03250B	KENPUR 300 WL 3 G 2,50	200/200	1000	3,00	27-30	8,1
003W03250C	KENPUR 300 WL 3 G 2,50	200/200	1500	4,50	27-30	8,1
003W03250D	KENPUR 300 WL 3 G 2,50	200/200	2000	6,00	27-30	8,1
003W03250E	KENPUR 300 WL 3 G 2,50	200/200	3000	10,50	27-30	8,1
003W05250	KENPUR 300 WL 5 G 2,50	200/200	500	0,90	35-40	10,0
003W05250A	KENPUR 300 WL 5 G 2,50	200/200	500	1,50	35-40	10,0
003W05250B	KENPUR 300 WL 5 G 2,50	200/200	1000	3,00	35-40	10,0
003W05250C	KENPUR 300 WL 5 G 2,50	200/200	1500	4,50	35-40	10,0
003W05250D	KENPUR 300 WL 5 G 2,50	200/200	2000	6,00	35-40	10,0
003W05250E	KENPUR 300 WL 5 G 2,50	200/200	3000	10,50	35-40	10,0